

AUTHOR INDEX

Annual Index 2007

A

Abdullah MA, 114
Addy M, 304
Adeyemo WL, 147
Akgungor G, 53
Akiba N, 128
Akimoto N, 341
Akkayan B, 53
Al Ahdab H, 298
Al-Bayat MI, 66
Al-Bazirgan MHK, 68
Albert AI, 179
Al-Bustani S, 152
Al-Hadlaq SM, 284, 287
Alkan A, 177
Al-Katheeri NH, 287
Allen JC, 269
Al-Osman A, 91
Al-Sulami U, 284
Al-Turaiki SA, 284
Amato M, 44
Andersson J, 350
Antoniazzi JH, 347
Aoshima H, 169
Aptekar A, 220
Araú-Dutari J, 159
Aragon CE, 259
Araz K, 281
Arici S, 177
Ariffin Z, 235
Arioli-Filho JN, 244
Aromdee C, 243
Arouca R, 241
Ashkenazi M, 37, 127
Assael LA, 79
Atsu SS, 148
Attin R, 241
Avery DR, 123
Ayna E, 262

B

Baglioni-Gouvea ME, 39
Bahcall JK, 346
Balaraman K, 150
Bardwell DN, 342
Barendregt DS, 40
Barone A, 48
Basso MFM, 244
Baumgartner JC, 168, 346
Baxmann M, 27
Beeson TJ, 43
Beirut N, 126
Benenati FW, 81
Benz C, 103

Berkey DB, 72
Berry J, 311
Bertelle A, 184
Billy EJ, 49
Birek C, 91
Blalock JS, 354
Blattner JF, 97
Bonecker M, 125
Börgermann J, 325
Bouillaguet S, 233
Bouwens TJ, 28
Braga MM, 233
Brahim JS, 24
Broberg C, 168
Browning WD, 354
Bruce WB II, 87
Brudvik JS, 62
Bruhn G, 183
Bryk J, 95
Bundgaard M, 236
Burgess JO, 106
Burneo JG, 259
Burrow MF, 288

C

Cai X-Y, 210
Calderon S, 357
Callan RS, 354
Calvo AM, 165
Caplan DJ, 110
Cavalcanti BN, 212
Celenk S, 262
Chacko V, 120
Chai WL, 202
Charpentier JF, 179
Chatterjee M, 150
Chawla HS, 181
Chee W, 265
Chen C-H, 121
Chen PS-Y, 290
Cheng S-J, 270
Cherala S, 55
Cherry M, 295
Cheung GSP, 286
Chiche GJ, 172
Chicke GJ, 169
Chitmongkolsuk S, 349
Chogle S, 283
Chogle SM, 159
Chrysikopoulou A, 116
Chung DM, 174
Chung EM, 107
Clark GT, 221
Coil J, 227
Colombini BL, 165

Cone EJ, 21
Corbett IP, 35, 230
Cornellini R, 48
Cotter MR, 16
Coulter ID, 254
Covani U, 48
Crall JJ, 33
Curran JB, 153
Curtis BH, 301
Curtis DA, 190
Curtis EK, 203, 257
Cury AH, 189
Cury PR, 125
Czarneka B, 145

D

Daly CG, 240, 295, 301
D'Amario M, 358
Dammashcke T, 41
D'Arcangelo C, 358
Davies KR, 277, 330
Davis JM, 346
Dayangac E, 281
de Araújo FB, 242
Deas DE, 13
deGoes MF, 39
Delie RA, 296
Deliperi S, 342
Dellasega E, 184
Denny PA, 10
Denny PC, 10
Derdilopoulou F, 234
Dianat O, 122
DiAngelis A, 196
Dickerson WG, 11
Dillenberg J, 252
Doll B, 296
Dong H, 291
Donovan TE, 333
Downie IP, 314
Doyle SL, 170
Duff RE, 209
Dumbrigue HB, 66
Dunham D, 62
Dunn M, 308

E

Ebert J, 281
Echert SE, 226
Edgar SW, 346
Edwards PC, 22
El Meligy OAS, 123
Eli I, 37

AUTHOR INDEX

Annual Index 2007

A

Abdullah MA, 114
Addy M, 304
Adeyemo WL, 147
Akgungor G, 53
Akiba N, 128
Akimoto N, 341
Akkayan B, 53
Al Ahdab H, 298
Al-Bayat MI, 66
Al-Bazirgan MHK, 68
Albert AI, 179
Al-Bustani S, 152
Al-Hadlaq SM, 284, 287
Alkan A, 177
Al-Katheeri NH, 287
Allen JC, 269
Al-Osman A, 91
Al-Sulami U, 284
Al-Turaiki SA, 284
Amato M, 44
Andersson J, 350
Antoniazzi JH, 347
Aoshima H, 169
Aptekar A, 220
Araú-Dutari J, 159
Aragon CE, 259
Araz K, 281
Arici S, 177
Ariffin Z, 235
Arioli-Filho JN, 244
Aromdee C, 243
Arouca R, 241
Ashkenazi M, 37, 127
Assael LA, 79
Atsu SS, 148
Attin R, 241
Avery DR, 123
Ayna E, 262

B

Baglioni-Gouvea ME, 39
Bahcall JK, 346
Balaraman K, 150
Bardwell DN, 342
Barendregt DS, 40
Barone A, 48
Basso MFM, 244
Baumgartner JC, 168, 346
Baxmann M, 27
Beeson TJ, 43
Beirut N, 126
Benenati FW, 81
Benz C, 103

Berkey DB, 72
Berry J, 311
Bertelle A, 184
Billy EJ, 49
Birek C, 91
Blalock JS, 354
Blattner JF, 97
Bonecker M, 125
Börgermann J, 325
Bouillaguet S, 233
Bouwens TJ, 28
Braga MM, 233
Brahim JS, 24
Broberg C, 168
Browning WD, 354
Bruce WB II, 87
Brudvik JS, 62
Bruhn G, 183
Bryk J, 95
Bundgaard M, 236
Burgess JO, 106
Burneo JG, 259
Burrow MF, 288

C

Cai X-Y, 210
Calderon S, 357
Callan RS, 354
Calvo AM, 165
Caplan DJ, 110
Cavalcanti BN, 212
Celenk S, 262
Chacko V, 120
Chai WL, 202
Charpentier JF, 179
Chatterjee M, 150
Chawla HS, 181
Chee W, 265
Chen C-H, 121
Chen PS-Y, 290
Cheng S-J, 270
Cherala S, 55
Cherry M, 295
Cheung GSP, 286
Chiche GJ, 172
Chicke GJ, 169
Chitmongkolsuk S, 349
Chogle S, 283
Chogle SM, 159
Chrysikopoulou A, 116
Chung DM, 174
Chung EM, 107
Clark GT, 221
Coil J, 227
Colombini BL, 165

Cone EJ, 21
Corbett IP, 35, 230
Cornellini R, 48
Cotter MR, 16
Coulter ID, 254
Covani U, 48
Crall JJ, 33
Curran JB, 153
Curtis BH, 301
Curtis DA, 190
Curtis EK, 203, 257
Cury AH, 189
Cury PR, 125
Czarneka B, 145

D

Daly CG, 240, 295, 301
D'Amario M, 358
Dammashcke T, 41
D'Arcangelo C, 358
Davies KR, 277, 330
Davis JM, 346
Dayangac E, 281
de Araújo FB, 242
Deas DE, 13
deGoes MF, 39
Delie RA, 296
Deliperi S, 342
Dellasega E, 184
Denny PA, 10
Denny PC, 10
Derdilopoulou F, 234
Dianat O, 122
DiAngelis A, 196
Dickerson WG, 11
Dillenberg J, 252
Doll B, 296
Dong H, 291
Donovan TE, 333
Downie IP, 314
Doyle SL, 170
Duff RE, 209
Dumbrigue HB, 66
Dunham D, 62
Dunn M, 308

E

Ebert J, 281
Echert SE, 226
Edgar SW, 346
Edwards PC, 22
El Meligy OAS, 123
Eli I, 37

Elmaria A, 238
Enciso R, 187
Epley SR, 108
Epstein JB, 207
Eriksson L, 350
Erkut S, 17
Estafan D, 94
Esteves T, 296
Ewoldsen N, 280

F

Falk JA, 352
Fan B, 286
Farella M, 44
Faveri M, 173
Featherstone JDB, 32, 104
Fedorowicz Z, 85
Fehér A, 246
Fennis WMM, 119
Ferry J, 86
Feuerstein O, 357
Filsér F, 246
Fine DH, 340
Fiske J, 236
Fleischman J, 108
Fogarty C, 25
Foster T, 61
Francis LA, 51
Frank S, 231
Franke M, 176
Frankenberger R, 239
Franz M, 115
Franzon R, 242
Frederickson D, 292
Freedman G, 278
Freitag SF, 248
Frencken JE, 126
Friedlich J, 271
Fu B, 289
Fujita K, 39
Fujiwara Y, 302
Furgang D, 340
Furst I, 163
Furst S, 163
Fuss Z, 109
Fyalka T, 7, 8, 77, 80

G

Gagnon G, 103
Gansky SA, 104
Gao Y, 286
Garcia RCMR, 348
Garib DG, 241
Gaubia K, 181
Giampaolo ET, 50
Gills D, 29
Girdler NM, 339
Glickman GN, 105
Glise J-M, 60
Gogulu D, 124
Gold SA, 5
Goldman D, 340
Goldstein G, 238
Gomes BPFA, 175

Gomes CO, 150
Good P, 180
Goodell GG, 64, 343
Gopikrishna V, 316
Goracci C, 189
Grätz KW, 56
Grossmann Y, 159
Guéders AM, 179
Guess GM, 358
Guess PC, 349
Gugerli P, 355
Gupta A, 207

H

Hagge MS, 292
Hallmer F, 350
Hannig M, 289
Harris J, 268
Harwell G, 108
Hassel AJ, 186
Hayacibara MF, 173
Hayakawa I, 128
Haytac MC, 129, 176
He J, 105
Hegde AM, 356
Hess SJ, 22
Heumann C, 183
Heydecke G, 318
Hicks ML, 115
Hideaki S, 82
Hillerup S, 36
Ho CC, 154
Hodel Y, 320
Hodges JS, 170
Hogan LME, 301
Holste T, 186
Hoth-Hannig W, 289
Hsieh C-H, 121
Hufford BC, 309
Hug S, 45
Hupp JR, 75
Husham AM, 68
Huth KC, 103
Huy C, 65

I

Ikeda T, 171
Ilse A, 241
Imparato JCP, 233
Iqbal MK, 358
Ishikawa K, 122
Ishley D, 344
Isik F, 353

J

Jackson MA, 192
Jahangiri L, 94
Jain P, 300
Jarjoura K, 103
Jensen R, 36
Jerrold L, 201, 225
Jervoe-Storm P-M, 298
Jivraj S, 265

Johal A, 190
Johann ACBR, 150
Johansson AS, 178
Johnson GH, 167
Joyce AP, 130

K

Kaanders JHAM, 182
Kadiroglu ET, 262
Kaiser G, 185
Kamalakis S, 266
Kanaa MD, 35, 230
Kandaswamy D, 237, 316
Kang K-H, 266
Kao RT, 84
Karp J, 95
Karthikeyan BV, 218
Kawasaki A, 122
Keenan JV, 85
Keh E, 128
Kellett M, 192
Kenyon BJ, 292
Kern M, 248
Keskiner I, 177
Kess SW, 140
Kfir A, 109
Kim H-I, 351
Kim Y, 112
King KA, 216
Kirakozova A, 110
Koch MA, 13
Kogan P, 105
Koka S, 226
Kolbe C, 185
Kösling S, 325
Kranz S, 51
Kraut G, 318
Kratchman SI, 358
Kreulen CM, 119
Kuijs RH, 119
Kurikose S, 120
Kurtzman D, 322
Kurtzman GM, 322
Kwon K-R, 180

L

Lackey MA, 216
Lago A, 176
Lake AA, 146
Lambrecht JT, 320
Lee J-J, 270
Lee JY, 28, 327
Lee SS, 336
Lee YK, 338
Levin L, 37
Levin RP, 256
Lewis SKD, 90
Li Y, 336
Lin S-K, 270
Lindquist KAD, 283
Loomer P, 291
Lorenz K, 183
Löw A, 171
Lowman D, 297

Lu H, 338
Luu L, 94
Luz CLF, 241
Lynch K, 143, 278

M

Machnowski TJ, 197
Mahmoud GA, 345
Maki J, 346
Malfaz J-M, 187
Mantokoudis D, 45
Maragakis GM, 154
Margins GR, 212
Marshall JG, 346
Martins MT, 125
Martus P, 234
Massey CC, 245
Matalon S, 357
Mather AJ, 153
Matheson P, 116
Matsumura Y, 275
Mayer ET, 285
McClanahan SB, 64
McDermott P, 150
McIntyre J, 230, 235
McIntyre JD, 327
Meechan JG, 230
Mein E, 90
Mein J, 90
Mendes FM, 233
Menke E, 95
Merchant AT, 115
Mericske-Stern R, 45
Merijohn GK, 263
Merrill RL, 335
Merritt J, 20
Mesquita RA, 150
Mickel AK, 283
Milles M, 116
Min K-S, 351
Misch KA, 131
Mitchell D, 295
Mitchell DH, 240
Modaresi J, 122
Modena KCS, 165
Mombelli A, 141, 355
Momoi Y, 341
Monaco E, 98
Monnet-Corti V, 60
Moore PA, 296
Moran J, 304
Morris JT, 290
Morris WJ, 62
Morrison A, 161
Mount G, 230
Moxham BJ, 314
Mozayeni MA, 122
Mulder J, 126
Murata Y, 47
Murphy AM, 240
Musselman RJ, 154

N

Nandini S, 237
Naumann M, 239

Neto GP, 348
Newcombe RG, 304
Ng CCH, 66
Ngeow WC, 202
Ngo H, 235
Ngo HC, 166, 230
Nicholson JW, 145
Nieberg L, 103
Nihill P, 300
Nishiyama N, 39
Nogueira GEC, 347
Nogueira SS, 244
Nomura J, 275

O

Oguri, 338
Oh T-J, 49, 174
Ohlmann B, 65
Oka T, 275
Okouchi K, 302
Okuyama K, 47
O'Leary L, 82
Olfert SM, 215
Omata Y, 171
Oncaog O, 124
Outhouse TL, 85
Ozcelik O, 129, 176

P

Packham B, 297
Paige SZ, 274
Pajarola GF, 56
Palacios RP, 167
Paniz G, 266
Pantera EA Jr, 98
Panzarino J, 16
Paraskevas S, 186
Park H-J, 351
Paschos E, 103
Patel AM, 38
Peez R, 231
Pereira CM, 296
Pereira PNR, 47
Perinpanayagam H, 61
Perlman SP, 199
Perry JB, 91
Pesce M, 243
Pesun JJ, 170
Petschelt A, 281
Pfaffenbach A, 61
Phillips KM, 167
Pinto A, 58
Pinto AS, 242
Pioch T, 117
Pitiphat W, 115
Plesh O, 190
Pogrel MA, 293
Polack MA, 101
Potiket N, 172
Pradeep AR, 218
Pradhan DP, 181
Preuss A, 239
Prosperi GD, 358
Pruett HL, 315

Pupio GC, 173
Puppini-Rontani RM, 39, 348

Q

Qi F, 20

R

Radel RT, 64
Rafe Z, 127
Raigrodski AJ, 169, 172
Ramos AL, 296
Rasmussen JM, 226
Rau PJ, 117
Razzoog ME, 209
Reeves JL, 335
Regennitter F, 25
Ribeiro AdC, 347
Richards D, 224, 228
Richards PS, 38
Roberts S, 130
Rode SM, 212
Rodenberg TN, 41
Roggendorf MJ, 281
Roldan R, 58
Rosen E, 42
Rosenberg E, 109
Rosin M, 171
Rosted P, 236
Royzenblat A, 343
Rubira-Bullen IRF, 219

S

Saad AY, 287
Sadan A, 12
Sailer I, 246
Saini T, 22
Samet N, 180
Sandner A, 325
Sándor G, 274
Sándor GKB, 220
Sant'Ana E, 219
Santini A, 60
Sarment DP, 131
Savage MF, 28
Sayinsu K, 353
Scaravilli MS, 44
Schäfer E, 303
Schäfer J, 303
Schäfer E, 41
Schepers RH, 182
Schmitter M, 65
Schwartz B, 202
Schwartz SA, 13, 43
Schwartz-Arad D, 42
Scott JK, 314
Secci G, 355
Semaan E, 298
Sena NT, 175
Sergent RS, 106
Seydaoglu G, 129
Sezen S, 353
Sharma A, 190
Sharma AB, 156

Sharma CGD, 218
 Sheiham A, 245
 Shenkin JD, 4
 Shetty V, 356
 Shi W, 20
 Shim CK, 202
 Shotwell JL, 49, 112, 174
 Shulman JD, 245
 Sidhu SK, 171, 345
 Silva MM, 50
 Silverstein LH, 322
 Simcock RM, 115
 Simon JHS, 187
 Simon Z, 271
 Skoura C, 92
 Slagter Ap, 182
 Smicklas-Wright H, 51
 Sobkowski J, 300
 Sollecito TP, 58
 Solomon LW, 98
 Soukos NS, 290
 Soxman J, 155
 Spanou A, 92
 Springer C, 158
 Sroussi H, 207
 Staehle H-J, 117
 Stahl J, 261
 Stappert CFJ, 349
 Steffen H, 171
 Stoykewych AA, 153
 Streckfus CF, 274
 Suge T, 122
 Sundar V, 280
 Sung EC, 107
 Svensson KG, 178
 Sylvester E, 100

T

Takamizu M, 341
 Takashima J, 10
 Tantanapornkul W, 302
 Taweechaisupapong S, 243
 Tay FR, 233
 Taylor AW, 176
 Terauchi Y, 82

Thibodeau B, 320
 Thoma K, 56
 Thomas IS, 352
 Thomason R, 313
 Timmerman MF, 40, 60, 186
 Tinagupta K, 316
 Tomasi C, 184
 Trope M, 320, 327
 Trullson M, 178
 Tseng Y-C, 121
 Tsesis I, 42
 Türp JC, 318
 Tyas MJ, 288

U

Uckan S, 17, 281
 Ueck BA, 152
 Uzel A, 124

V

Van der Velden U, 40, 60, 186
 Van Strydonck DAC, 60
 VanderWeele RA, 43
 Vano M, 189
 Vardimon A, 127
 Vargas KG, 297
 Vargervik K, 156
 Vastardis S, 285
 Velasquez LM, 106
 Velmurugan N, 237
 Vergani CE, 50
 Verma P, 356
 Vianna ME, 175
 Vijayaraghaven T, 238
 Villanueva A, 291
 Viozzi CF, 25

W

Waite PD, 55
 Waldman HB, 199
 Wang H-L, 38
 Wang XY, 166

Warburton G, 24
 Wataha JC, 233
 Weaver JM, 299
 Wegley C, 342
 Wegner PK, 248
 Welbury RR, 339
 Werner C, 241
 Whitaker EJ, 352
 Whitworth JM, 35
 Williams CB, 130
 Wilson BL, 168
 Wilson KE, 339
 Wilson N, 317
 Wolcott J, 344
 Wolcott S, 344
 Woo BM, 152
 Wood JP, 31
 Wood PJ, 31
 Woodmansey KF, 205
 Worthington HV, 192
 Wu AY-J, 333
 Wu B, 107
 Wynn RL, 276

Y

Yaedú RYF, 219
 Yamashita J, 112
 Yan Z, 345
 Yap AUJ, 166
 Yi ES, 131
 Yukna RA, 285

Z

Zachariades N, 92
 Zandbiglari T, 303
 Zandona AF, 261
 Zantner C, 234
 Zhan L, 104
 Zhang C, 210
 Zhang W, 336
 Zhang W-J, 210
 Zimmer S, 185

SUBJECT INDEX

Annual Index 2007

A

- Abscess, odontogenic, drainage of, 274
- Actinobacillus actinomycetemcomitans*, inhibition of *S. mutans* by salivary factor from, 340
- Acupuncture, for control of gag reflex in patients requiring upper alginate impression, 236
- Adhesives
 - etch and rinse vs. self-etch systems, 179
 - resin-based root canal fillings, effect on fracture resistance of endodontically treated roots, 303
 - for restoration of noncarious cervical lesions, 289
 - self-etching
 - agitation and application time for, 106
 - long-term performance, 341
 - total-etch vs. self-etch, microleakage with, 342
- Adolescents
 - (see also Children)
 - transposed teeth in, 94
- Air-particle abrasion, effect on retention and texture of the maxillary complete denture, 68
- Alveolar distraction osteogenesis, for facilitation of placement of implant-supported fixed partial dentures in severely resorbed maxilla, 17
- Alzheimer's disease, poor balance as prognostic indicator, 78
- Amalgam
 - failure rate in endodontically treated premolars with class II cavities, 132
 - toxic exposures and reproductive outcomes among dental personnel, 215
- Amelogenesis imperfecta, restoration of function and esthetics in, 262
- Ammonium hexafluorosilicate, for dentin hypersensitivity, 122
- Anabolic androgenic steroids, effect on gingiva, 129
- Analgesia (see Pain management)
- Anesthesia
 - (see also Pain management)
 - articaine/epinephrine formulations for periodontal surgery, hemostatic and anesthetic efficacy, 296
 - articaine vs. lidocaine for mandibular buccal infiltration anesthesia, 35
 - articaine vs. mepivacaine for impacted lower third molar removal, duration of postoperative anesthesia and analgesia, 165
 - calculation of maximum dose of local anesthetic, 299
 - efficacy of intraoral topical anesthetics in children, 103

- ibuprofen vs. acetaminophen-codeine for premedication in severely inflamed teeth, 122
- maxillary extraction without palatal injection, 281
- nerve injury during mandibular block analgesia, 36
- oral midazolam vs. nitrous oxide sedation for children, 339
- showing vs. hiding dental injection needle, effect on child's behavior, 154
- slow vs. rapid nerve block injections, 230
- transient loss of accommodation in one eye following inferior alveolar nerve block, 202
- upper lip blanching and diplopia associated with inferior alveolar nerve block, 314
- Antacids, effect on gingivitis, 200
- Antibiotics
 - for chronic periodontitis, 141
 - prophylactic, indications for, 220
- Anxiety, dental, childhood experiences and, 37
- Apexification, with calcium hydroxide vs. mineral trioxide aggregate in children, 123
- Apical root resorption, during orthodontic treatment, 296
- Argon laser, intrapulpal temperature during polymerization of composite resin with, 212
- Articaine
 - with epinephrine, hemostatic and anesthetic efficacy in periodontal surgery, 296
 - vs. lidocaine for mandibular buccal infiltration anesthesia, 35
 - vs. mepivacaine for impacted lower third molar removal, duration of postoperative anesthesia and analgesia, 165
 - nerve injury during mandibular block analgesia, 36
- Aspirin, coadministration with ibuprofen, 276
- Avulsion, permanent incisors
 - clinical management, 327
 - mineral trioxide aggregate for endodontic obturation, 95

B

- Behavioral issues
 - dental anxiety related to childhood experiences, 37
 - effective communication with patients with limited literacy skills, 80
 - listening to patients, 315
 - motivational interviewing to change dietary behavior, 146
 - provider-patient relationship and treatment decisions, 38

- showing vs. hiding dental injection needle, effect on child's behavior, 154
- Bisphosphonates, osteonecrosis of the jaws and, 79
- Bleaching (see Whitening)
- Bond strength
 - decline with single bottle-type self-etching primers, 39
 - effect of surface treatments on tensile bond strength and on morphology of quartz-fiber posts, 358
 - effects of bonding agent and polymerization mode, 53
 - of orthodontic brackets bonded with a protective liquid polish and a light-cured adhesive, effect of blood and saliva contamination on, 353
- Bonding agents
 - comparison of postoperative sensitivity with two agents, 354
 - dentin, effect of polymerization modes on bond strength, 53
 - self-etching, agitation and application time for, 106
- Bone grafting, autogenous, plus platelet-rich plasma for alveolar ridge reconstruction, 271
- Breast cancer, salivary markers for, 274
- Breastfeeding, mandibular retrusion and duration of, 241
- Bud burs, SmartPrep vs. tungsten carbide, for dentin caries excavation, 41

C

- Calcium hydroxide
 - as intracanal medicament with chlorhexidine gel, 175
 - comparison of four filling techniques, 115
 - vehicle factors in removal, 237
 - vs. mineral trioxide aggregate for apexification in children, 123
 - for protection in indirect pulp capping of primary teeth, 242
- Calculus, diamond-coated ultrasonic inserts for removal, 285
- Carbon dioxide laser, vs. scalpel technique for frenectomy, 176
- Cardiac devices, safety of electronic apex locators and pulp testers in patients with, 168
- Caries
 - air-rotor stripping of interproximal enamel and incidence of, 103
 - balance of pathologic and protective factors in prevention and reversal, 32

- chlorhexidine varnish for *S. mutans* control in patients with fixed orthodontic appliances, 241
- early childhood
- effect on body weight, growth, and quality of life in preschool children, 245
- povidone iodine for, 104
- relapse after aggressive treatment, 61
- finger pressure technique for glass-ionomer sealants, 126
- glass ionomers for remineralization of dentin in permanent molars, 230
- non-cavitated smooth surface lesions, rationale and protocol for treatment, 261
- occlusal, laser fluorescence device for detection of, 233
- saliva test for risk assessment, 10
- salivary factor from *A. actinomycetemcomitans*, for inhibition of *S. mutans*, 340
- SmartPrep vs. tungsten carbide bud burs for excavation, 41
- ultrasonic detector for detection of cavitated carious lesions in approximal surfaces, 357
- Cements**
- glass ionomer
- coated and uncoated, shear strength and failure modes, 166
- resin-modified, ion release by, 145
- silver fluoride for enhancement of fluoride release from, 235
- for retention of zirconium oxide ceramic crowns, 167
- Cervical lesions, noncarious, adhesive systems for restoration of, 288
- Children**
- (see also Pediatric dentistry)
- added sugar and dietary fiber intake in preschoolers, 51
- efficacy of intraoral topical anesthetics in, 103
- hypertension in, screening by dental practitioners, 58
- Chlorhexidine**
- effect of sodium lauryl sulfate on efficacy, 60
- varnish for *S. mutans* control in patients with fixed orthodontic appliances, 241
- with and without calcium hydroxide, for control of *E. faecalis* in primary teeth, 124
- with and without ethanol, effect on development of plaque, gingivitis, and discoloration, 183
- Chloroform, antimicrobial effect on *E. faecalis* after gutta-percha removal, 346
- Cholesterol, phytosterols for lowering of, 133
- Clasp assemblies, for removable partial dentures, fit of, 62
- Compomer, as pit and fissure sealant, effectiveness and retention after 24 months, 39
- Composite restorations
- argon laser vs. halogen lights for polymerization, intrapulpal temperature during, 212
- color matching of, 171
- for cusp fractures, direct vs. indirect techniques, 119
- direct and indirect Class II, microleakage with, 292
- gap management in, 180
- resin composite with a spherical inorganic filler, 338
- rubber dam and proximal contact strength of, 117
- Compressed air, as cause of cervicofacial emphysema, 153
- Computed tomography, cone beam
- for assessment of relationship between mandibular canal and impacted third molars, 302
- for differential diagnosis of periapical lesions, 187
- for periodontal diagnosis, 131
- Connective tissue graft, for gingival recession treatment, 60
- Coronal fracture, retrofitting technique for a crown or abutment following, 216
- Critical thinking, dental education training for, 75
- Crossbite, posterior, changes in the masticatory cycle after treatment in children aged 4 to 5 years, 348
- Crown-root fractures, multidisciplinary treatment, 159
- Crowns**
- all-ceramic, load capability of excessively flared teeth restored with fiber-reinforced composite posts and, 240
- computerized shade selection system, 169
- implant-supported, effect of surface and luting agents on tensile strength, 112
- prediction of root canal therapy in teeth with, 110
- retrofitting technique after tooth fracture in, 216
- zirconium oxide ceramic, cement retention of, 167
- Cusp fractures, direct vs. indirect restorations, 119

D

- Delmopinol, mouthrinse, effectiveness in gingivitis, 304
- Dental bleaching (see Whitening)
- Dental education
- community-based model in Arizona, 252
- critical thinking training in, 75
- science in, 317
- use of human subjects in licensure examinations, 203
- Dental insurance, patient expectations and, 7
- Dental laboratories, outsourcing considerations, 29
- Dental materials
- (see also Adhesives; Cements; Restorations)
- advances in provisional materials, 278
- agitation and application time for self-etching bonding agents, 106
- compomer pit and fissure sealants, 39
- Epiphany vs. gutta-percha techniques for root canal obturation, 108
- fluoride release and uptake after topical fluoride application, 47
- physical-mechanical performance of Ketac Molar Easymix vs. handmixed glass ionomer restoratives, 231
- resin composite with a spherical inorganic filler, 338
- setting time and compressive strength with MTA additives, 105
- Dental pulp, as DNA source for identification of cause of plague in ancient Athens, 198
- Dental stone, disinfection and physical properties of, 114
- Dentifrices, effect on efficacy of toothbrushing, 186
- Dentigerous cyst, with metastatic breast carcinoma, 150
- Dentin**
- bonding agents
- comparison of postoperative sensitivity with two agents, 354
- effect of polymerization modes on bond strength, 53
- hypersensitivity, ammonium hexafluorosilicate for, 122
- Dentistry, economics of practice, 199
- Dentists, professional behavior standards, 19
- Dentures**
- fixed partial
- all-ceramic systems for, 172
- alveolar distraction osteogenesis for facilitation of placement in severely resorbed maxilla, 17
- reuse after retainer loosening, 190
- zirconia frameworks for, 246
- implant/root supported overdentures, 45
- maxillary complete, effect of air-particle abrasion on retention and texture of, 68
- microwave irradiation for disinfection of, 50
- occlusal vertical dimension after processing complete dentures made with lingualized balanced occlusion vs. conventional balanced occlusion, 244
- removable partial, fit of clasp assemblies for, 62
- repair of milled cantilevered implant-supported overdenture bar, 226
- sandblasting for improvement in speech function, 186
- Devices/instruments**
- brush-covered irrigation needle for removal of root canal debris, 284
- comparison of removal times of plastic obturators using rotary instruments at different rotational speeds, 343
- cutting efficiency of diamond burs, 107
- dental magnification loupes, 12
- diamond-coated ultrasonic inserts for calculus removal, 285
- interface media for electric pulp testers, 283
- laser fluorescence device for detection of occlusal caries, 233
- manual vs. automated periodontal probes, 40
- pulse oximetry for assessment of pulp vitality in recently traumatized teeth, 316
- rotary nickel-titanium instruments for removal of gutta-percha during retreatment, 287

safety of electronic apex locators and pulp testers in patients with implanted cardiac devices, 168
 separation incidence of rotary nickle-titanium instruments, 344
 SmartPrep vs. tungsten carbide bud burs, 41
 tapered and nontapered instrumentation of the apical constriction, 109
 Diabetes, starch consumption and risk of, 164
 Diamond burs, cutting efficiency, 107
 Diode laser, effects of irradiation on root canal walls, 347
 Drugs
 (see also Pharmacology)
 oral fluid testing for, 21
 overuse, 5

E

Elderly (see Older adults)
 Emphysema, cervicofacial, caused by compressed air, 153
 Endodontics
 (see also Root canal)
 biological response to contemporary sealers, 233
 brush-covered irrigation needle for removal of root canal debris, 284
 digital systems vs. digitized film for assessment of working length, 64
 implant vs. root canal treatment restorations, 170
 intentional replantation, 16
 interface media for electric pulp testers, 283
 management of teeth with unformed apices with mineral trioxide aggregate vs. calcium hydroxide, 181
 maxillary first premolar with multiple roots, 205
 mineral trioxide aggregate for furcation perforation repair, 43
 morphology of C-shaped root canal systems, 286
 palatal groove treated with endodontic/periodontic therapy, 13
 photodynamic therapy for disinfection, 290
 prediction of root canal therapy in crowned teeth, 110
 rotary nickel-titanium instruments for removal of gutta-percha during retreatment, 287
 separation incidence of rotary nickle-titanium instruments, 344
 survival rate of teeth with posts and prosthodontic restorations, 248
 tapered and nontapered instrumentation of the apical constriction, 109
 tooth structure and fracture resistance of restored anterior teeth, 66
 traditional vs. modern surgical treatment approaches, 42
 treatment of maxillary central incisor with two canals and two roots, 81
Enterococcus faecalis
 effectiveness of intracanal medicaments against, 347

in primary teeth, intracanal medicaments for, 124
 Epilepsy, dental treatment of patients with, 259
 Epithelial dysplasia-carcinoma, in a renal transplant recipient, 91
 Esthetic dentistry
 all-ceramic systems for fixed partial dentures, 172
 color matching of newer resin composites, 171
 computerized system for shade selection for anterior metal-ceramic crowns, 169
 gradual bleaching technique in endodontically treated teeth, 44
 incisal edge harmony, 87
 over-the-counter whitening systems, clinical efficacy of, 234
 restoration in amelogenesis imperfecta, 262
 restoration of noncarious cervical lesions, 288
 Ethics
 criticism of other dentists, 11
 implications of loyalty rewards, 202
 Ethylene oxide, reproductive outcomes among dental personnel exposed to, 215
 Evidence-based dentistry
 implant/root supported overdentures, 45
 incorporation into clinical practice, 84, 254, 263
 prediction of root canal therapy in crowned teeth, 110
 prophylactic removal of nonimpacted lower third molars, 147
 restoration of the root-canal-treated maxillary lateral incisor, clinical decisions by four experts in different specialties, 318
 Extractions
 in compromised patient, invasive fungal infection after, 25
 maxillary, without palatal injection, 281
 oroantral communication after, bioabsorbable root analog for closure of, 57

F

Fish, benefits of consumption, 19
 Fluoride
 effects of temperature on the fluoride release and recharging ability of glass ionomers, 345
 release and uptake by dental materials after topical application of fluoride, 47
 silver fluoride for enhancement of fluoride release from glass ionomer cement, 235
 Fluoroalkyl methacrylate polymer, as denture lining material, 128
 Fracture(s)
 coronal, retrofitting technique for a crown or abutment following, 216
 in crown, retrofitting technique after, 216
 crown-root, multidisciplinary treatment, 159
 cusp, direct vs. indirect restorations, 119
 spontaneous, of genial tubercles, 220
 unilateral mandibular condylar, long-term follow-up of nonsurgical treatment, 350

Fracture resistance
 of all-ceramic partial coverage on natural molars, 349
 following root canal treatment with resin-based adhesive fillings, 303
 of glass fiber reinforced posts, 65
 of restored anterior teeth, tooth structure and, 66
 Frenectomy, carbon dioxide laser vs. scalpel technique for, 176
 Fungal infection, invasive, after dental extraction in a patient with chronic obstructive pulmonary disease, 25

G

Gag reflex, acupuncture for control in patients requiring an upper alginate impression, 236
 Genial tubercles, spontaneous fracture of, 220
 Gingiva
 enlargement as presentation of primary tuberculosis, 218
 squamous cell carcinoma mimicking a dentoalveolar abscess, 270
 Gingivitis, effect of antacids on, 200
 Glass ionomers
 cements
 coated and uncoated, shear strength and failure modes, 166
 ion release from, 145
 silver fluoride for enhancement of fluoride release from, 235
 effects of temperature on fluoride release and recharging ability, 345
 physical-mechanical performance of Ketac Molar Easymix vs. handmixed restoratives, 231
 for remineralization of carious dentin in permanent molars, 230
 sealants, finger pressure technique for, 126
 Gutta-percha
 antimicrobial effect of chloroform on *E. faecalis* after removal, 346
 rotary nickel-titanium instruments for removal during root canal retreatment, 287
 Gypsum casts
 (see also Impressions)
 disinfection and physical properties of, 114

H

Halitosis
 analysis of tongue cleaners' effect on, 85
 reduction of morning breath order, 173
 review of causes, diagnosis, and treatment, 336
 Head and neck cancer, sinonasal undifferentiated carcinoma of the maxillary sinus, 22
 Health illiteracy, effective patient communication and, 80
 Hematoma, infraorbital, after removal of upper third molar, 24
 Hypertension, in children, screening by dental practitioners, 58
 Hyposalivation (see Xerostomia)

I

- Ibuprofen
 - vs. acetaminophen-codeine for
 - premedication in severely inflamed teeth, 122
 - coadministration with aspirin, 276
- Immunosuppression, epithelial dysplasia-carcinoma in a renal transplant recipient, 91
- Implants
 - alveolar distraction osteogenesis for
 - facilitation of placement in severely resorbed maxilla, 17
 - connections to teeth, 265
 - effect of surface and luting agents on tensile strength, 112
 - failed, immediate replacement of, 48
 - flapless surgery for, effect on soft tissue profile, 49
 - interforaminal, immediate loading of, 320
 - malpositioned, management with all-ceramic crowns and implant abutments, 209
 - mandibular, hemorrhage during placement of, 152
 - mini-implants in orthodontic treatment, 121
 - nonurgical management of soft tissue
 - deficiencies for anterior single restorations, 266
 - placement in growing children, 156
 - primary or secondary placement before or during ablative surgery in patients with squamous cell carcinoma, 182
 - vs. root canal treatment restorations, 170
 - significance of keratinized mucosa in maintenance of, 174
 - surgical guide for placement in edentulous posterior regions, 148
- Impressions
 - disinfection and physical properties of
 - gypsum casts, 114
 - putty-wash, vacuum-formed resin sheets as
 - spacers for, 333
 - upper alginate, acupuncture for gag reflex control in patients requiring, 236
- Incisor
 - avulsed permanent
 - clinical management, 327
 - mineral trioxide aggregate for endodontic obturation, 95
 - maxillary, zirconia all-ceramic restoration system, 101
 - maxillary with two canals and two roots, endodontic treatment of, 81
 - palatal groove treated with endodontic/periodontic therapy, 13
 - root-canal-treated maxillary lateral, restoration method selected by four experts in different specialties, 318
- Infection control/prevention
 - antimicrobial effect of chloroform on
 - E. faecalis* after gutta-percha removal, 346
 - calcium hydroxide as root canal disinfectant, comparison of four filling techniques, 115
 - calcium hydroxide with chlorhexidine gel as intracanal medicament, 175
 - cervical infection with descending mediastinitis, 210

- disinfection and physical properties of dental stone, 114
 - effectiveness of intracanal medicaments
 - against *E. faecalis*, 347
 - management of infectious medical waste, 268
 - microwave irradiation of dentures, 50
 - photodynamic therapy for endodontic disinfection, 290
 - polymer coating for, 227
 - povidone iodine as pretreatment rinse for
 - reduction in bacteremia due to scaling, 295
 - vehicle factors in calcium hydroxide removal, 237
- Inferior alveolar nerve
 - block
 - slow vs. rapid injection for, 230
 - transient loss of accommodation in one eye following, 202
 - upper lip blanching and diplopia associated with, 314
 - damage during root canal therapy, 293
- Informed consent
 - presentation of both recommended and alternative treatment options and, 313
 - role of expert witnesses in claims for lack of, 225
- Infraorbital hematoma, after removal of upper third molar, 24
- Interdental cleaning methods, customized brushing technique vs. flossing for plaque control before root surface debridement, 192
- Intimate partner violence, screening and intervention, 163

K

- Keratinized mucosa, significance in dental implant maintenance, 174

L

- Lasers
 - argon, intrapulpal temperature during
 - polymerization of composite resin with, 212
 - carbon dioxide, vs. scalpel technique for frenectomy, 176
 - diode, effects on root canal walls, 347
 - fluorescence device for detection of occlusal caries, 233
 - Nd:YAG, irradiation after adhesive and before polymerization, 176
- Legal issues
 - pitfalls in single attorney representing both sides of practice sale, 31
 - presentation of both recommended and alternative treatment options, professional liability and, 313
 - role of expert witnesses in claims for lack of informed consent, 225
 - settling lawsuits, 201
- Lidocaine, vs. articaine for mandibular buccal infiltration anesthesia, 35
- Listening skills, in patient communication, 315
- Loyalty rewards, ethical implications of, 202

M

- Magnification loupes, use in dental practice, 12
- Mandibular advancement appliances, for sleep-disordered breathing, 190
- Mandibular block analgesia, nerve injury during, 36
- Mandibular condylar fracture, unilateral, long-term follow-up of nonsurgical treatment, 350
- Mandibular lingual bone depression, anterior variant, imaging of, 98
- Mandibular third molar (see Third molars)
- Maxillary sinus, sinonasal undifferentiated carcinoma of, 22
- Mediastinitis, descending
 - diagnosis and treatment, 325
 - following cervical infection, 210
- Mental nerve, paresthesia during orthodontic treatment, 27
- Mercury, reproductive outcomes among dental personnel exposed to, 215
- Meskin, Larry H., in memoriam, 308
- Microwave irradiation, for disinfection of dentures, 50
- Milk, oral health and consumption of, 20
- Mineral trioxide aggregate (MTA)
 - additives for, setting time and compressive strength with, 105
 - vs. calcium hydroxide for endodontic management of teeth with unformed apices, 181
 - for endodontic obturation of an avulsed permanent incisor, 95
 - for furcation perforation repair, 43
 - as pulp-capping material in pediatric dentistry, 120
- Mini-implants, in orthodontic treatment, 121
- Molars
 - natural, fracture resistance of all-ceramic partial coverage on, 349
 - permanent, glass ionomers for
 - remineralization of carious dentin in, 230
 - primary, sodium hypochlorite for
 - pulpotomies in, 297
 - third (see Third molars)
- Mouthrinses
 - antimicrobial, vs. flossing for control of periodontal disease, 185
 - chlorhexidine
 - effect of sodium lauryl sulfate on efficacy, 60
 - with and without calcium hydroxide for control of *E. faecalis* in primary teeth, 124
 - with and without ethanol, effect on development of plaque, gingivitis, and discoloration, 183
 - delmopinol, effectiveness in gingivitis, 304
 - ethanol toxicity from overingestion in children after introduction of child-resistant packaging rule, 245

N

- Nd:YAG laser, irradiation after adhesive and before polymerization, 176

Neuropathic pain, diagnosis, etiology, and management, 221

Nitrous oxide

- vs. oral midazolam for sedation in children, 339
- reproductive outcomes among dental personnel exposed to, 215
- scavenging masks for, 116

Nutrition

- added sugar and dietary fiber intake in preschoolers, 51
- diet myths and truths, 213
- fish consumption benefits, 19
- heart-healthy breakfast, 280
- milk and oral health, 20
- motivational interviewing to change dietary behavior, 146
- onions and cancer risk, 310
- phytosterols for lowering cholesterol, 133
- pistachios as source of phytosterols, 200
- starch consumption and diabetes risk, 164
- superfoods, 86
- whole grain intake and risk of periodontitis, 115

O

Obesity, screening test limitations in, 19

Obstructive sleep apnea

- diagnosis, 161
- mandibular advancement appliances for, 190
- treatment by dentists, 228

Occlusion

- abrasion between ceramics and natural teeth, 238
- breastfeeding duration and mandibular retrusion, 241
- changes in the masticatory cycle after treatment of posterior crossbite in children aged 4 to 5 years, 348
- effects of periodontitis on bite force and occlusal contact area, 177
- incisal edge harmony, 87
- masticatory disturbance related to periodontal ligament loss, 178
- occlusal dysesthesia, diagnostic and treatment challenges, 335

Occupational risks

- answers to frequent questions about OSHA regulations, 331

Occupational Safety and Health

- Administration compliance inspections, 77
- pinch force and instrument tip force during periodontal scaling, 291
- scavenging masks for nitrous oxide, 116
- toxic exposures and reproductive outcomes among dental personnel, 215

Older adults

- considerations in dental care for, 8
- geriatric dentistry workforce imperative, 72
- management of hyposalivation, 207

Omega-3 fatty acids

- benefits of consumption, 19
- heart protection and, 255

Oral biology

- endodontic management of teeth with unformed apices with mineral trioxide aggregate vs. calcium hydroxide, 181
- human pulp cells response to Portland cement in vitro, 351
- pulp revascularization of necrotic infected immature permanent tooth, 320

Oral cancer

- epithelial dysplasia-carcinoma, in a renal transplant recipient, 91
- primary or secondary implant placement before or during ablative surgery for, 182
- squamous cell carcinoma mimicking a dentoalveolar abscess, 270

Oral-maxillofacial surgery

- autogenous bone grafting plus platelet-rich plasma for alveolar ridge reconstruction, 271
- drainage of odontogenic abscess, 274
- inferior alveolar nerve damage during root canal therapy, 293
- intraorbital hematoma after removal of upper third molar, 24
- primary or secondary implant placement before or during ablative surgery in patients with squamous cell carcinoma, 182
- radicular cyst treated conservatively, 150
- root analogs in orotracheal perforation repair, 56
- small flap, sutureless surgery for impacted third molar removal, 55
- spontaneous fracture of genial tubercles, 220
- suture materials and techniques, 322
- unilateral mandibular condylar fracture, long-term follow-up of nonsurgical treatment, 350

Oral medicine

- cervicofacial emphysema caused by compressed air, 153
- chewing and bacteremia in periodontal disease, 240
- descending mediastinitis following cervical infection, 210
- diagnosis and treatment of descending necrotizing mediastinitis, 325
- effect of acetylsalicylic acid on aggregation of human platelets by *Porphyromonas gingivalis*, 353
- indications for prophylactic antibiotics, 220
- invasive fungal infection after dental extraction in a patient with chronic obstructive pulmonary disease, 25
- salivary markers for breast cancer, 274
- temporal arteritis, 92
- treatment of patient with epilepsy and seizures, 259

Oral pathology

- dentigerous cyst with metastatic breast carcinoma, 150
- epithelial dysplasia-carcinoma in a renal transplant recipient, 91
- gingival enlargement as presentation of primary tuberculosis, 218
- oral squamous cell carcinoma mimicking a dentoalveolar abscess, 270

sinonasal undifferentiated carcinoma of the maxillary sinus, 22

temporal arteritis, 269

Oroantral perforation, bioabsorbable root analog for closure of, 57

Orthodontics

- air-rotor stripping of interproximal enamel and incidence of caries, 103
- apical root resorption during treatment, 296
- breastfeeding duration and mandibular retrusion, 241
- chlorhexidine varnish for *S. mutans* control in patients with fixed appliances, 241
- effect of blood and saliva contamination on bond strength of brackets bonded with a protective liquid polish and a light-cured adhesive, 353
- mental paresthesia during treatment, 27
- mini-implants in, 121
- transposed teeth in an adolescent, 94
- triple-headed toothbrush for patients with fixed appliances, 127

Osteonecrosis of the jaws, bisphosphonates and, 79

Overdentures, milled cantilevered implant-supported, repair of, 226

P

Pain management

- ammonium hexafluorosilicate for dentin hypersensitivity, 122
- comparison of postoperative sensitivity with two bonding agents, 354
- diagnosis, etiology, and management of persistent neuropathic pain, 221
- ibuprofen vs. acetaminophen-codeine for premedication in severely inflamed teeth, 122

Palatal groove, combined endodontic/periodontic therapy for, 13

Palatal vault, connective tissue grafts from, for management of gingival recession, 60

Paresthesia, of mental nerve during orthodontic treatment, 27

Pediatric dentistry

- (see also Children)
- apexification with calcium hydroxide vs. mineral trioxide aggregate, 123
- avulsed permanent incisors, clinical management, 327
- calcium hydroxide protection in indirect pulp capping of primary teeth, 242
- changes in the masticatory cycle after treatment of posterior crossbite in children aged 4 to 5 years, 348
- cost-effectiveness of preventive dental visits before age 1, 28
- early dental preventive care programs, 4
- endodontic management of teeth with unformed apices with mineral trioxide aggregate vs. calcium hydroxide, 181
- hypertension screening in, 58
- implant placement in growing children, 156
- intracanal medicaments against *E. faecalis* in primary teeth, 124
- meeting oral health needs of children, 33, 140

- mineral trioxide aggregate as pulp-capping material, 120
- mineral trioxide aggregate for endodontic obturation of an avulsed permanent incisor, 95
- oral midazolam vs. nitrous oxide sedation, 339
- parent preparation for child's first dental visit, 155
- povidone iodine for early childhood caries, 104
- propylthiouracil to determine taster status in relation to caries experience, *S. mutans* levels, and dietary preferences, 356
- showing vs. hiding dental injection needle, effect on child's behavior, 154
- sialolithiasis in a 5-year-old, 275
- sodium hypochlorite for pulpotomies in primary molars, 297
- transposed teeth in an adolescent, 94
- Periapical lesions, cone beam computed tomography for differential diagnosis, 187
- Periodontics
- benefits of powered toothbrushes during initial phase of therapy, 355
 - connective tissue grafts from the palatal vault for gingival recession management, 60
 - factors affecting patient selection of surgical vs. nonsurgical treatment, 38
 - full-mouth ultrasonic debridement vs. hand scaling and root planing, 184
 - hemostatic and anesthetic efficacy of articaine/epinephrine formulations, 296
 - manual vs. automated probes, 40
 - palatal groove treated with endodontic/periodontic therapy, 13
 - periodontal diagnostic practices of dentists, 125
 - pinch force and instrument tip force during scaling, 291
 - povidone iodine as pretreatment rinse for reduction in bacteremia due to scaling, 295
- Periodontitis
- adverse birth outcomes and, 196
 - chewing and bacteremia in, 240
 - chronic, antibiotics for, 141
 - cone beam computed tomography for diagnosis, 131
 - customized interdental brushing technique vs. flossing for plaque control before root surface debridement, 192
 - dairy product intake and risk for, 256
 - effect on bite force and occlusal contact area, 177
 - flossing vs. antimicrobial rinses for reduction of plaque and gingivitis, 185
 - masticatory disturbance related to, 178
 - microbiological outcomes of quadrant vs. full-mouth root planing, 298
 - red wine in prevention and treatment of, 9
 - whole grain intake and risk of, 115
- Periradicular surgery, perioperative predictors for postoperative clinical outcomes and quality of life assessment, 358
- Pharmacology
(see also Drugs)
- aspirin and ibuprofen coadministration, 276
 - calculation of maximum dose of local anesthetic, 299
 - effect of sodium lauryl sulfate on chlorhexidine efficacy, 60
- Photodynamic therapy, for endodontic disinfection, 290
- Physical fitness, timing of workouts, 164
- Phytosterols
- for lowering cholesterol, 133
 - in pistachios, 200
- Pilocarpine, topical in lozenge form for post-radiation xerostomia, 243
- Polymer coating, for infection control, 229
- Porphyromonas gingivalis*, effect of acetylsalicylic acid on aggregation of human platelets by, 353
- Posts
- in endodontically treated teeth, survival rate, 248
 - fiber post, effect of immediate vs. delayed cementation on retention in canals obturated with eugenol sealer, 189
 - glass fiber reinforced, fracture resistance with, 65
 - quartz-fiber, effect of surface treatment on morphology and retention, 358
- Povidone iodine
- for early childhood caries, 104
 - as pretreatment rinse for reduction in bacteremia due to scaling, 295
- Practice management
- achieving financial balance, 309
 - audits by third-party payers, 311
 - balancing dental excellence and business success, 257
 - bonus plans for team members, 256
 - business card as marketing tool, 97
 - dental team huddles, 144
 - design of patient-friendly Web sites, 224
 - discount dental programs, 143
 - dismissal of an employee, 277
 - hiring dental staff, 330
 - insurance interactions and patient expectations, 7
 - OSHA compliance inspections, 77
 - outsourcing dental laboratory work, 29
 - pitfalls in single attorney representing both sides of practice sale, 31
 - role of expert witnesses in claims for lack of informed consent, 225
 - role of office receptionists, 278
 - shareholder disputes, 158
- Premolars
- endodontically treated with class II cavities, amalgam failure rate in, 132
 - maxillary first, with multiple roots, 205
- Preventive dentistry
- caries prevention and reversal based on caries balance model, 32
 - cost-effectiveness of preventive dental visits before age 1, 28
 - early childhood programs, 4
 - effect of dentifrices on toothbrushing efficacy, 186
 - finger pressure technique for glass-ionomer sealants, 126
- flossing vs. antimicrobial rinses for prevention of periodontal disease, 185
- meeting oral health needs of children, 33
- periodontal diagnostic practices of dentists, 125
- propylthiouracil to determine taster status in relation to caries experience, *S. mutans* levels, and dietary preferences in children, 356
- relapse of early childhood caries after aggressive treatment, 61
- soft drink acidity and enamel dissolution, 300
- triple-headed toothbrush for patients with fixed orthodontic appliances, 127
- Prilocaine, nerve injury during mandibular block analgesia, 36
- Primary teeth
- calcium hydroxide for protection in indirect pulp capping, 242
 - chlorhexidine with and without calcium hydroxide for control of *E. faecalis* in, 124
 - sodium hypochlorite for pulpotomies in molars, 297
- Primers
- effect of polymerization mode on bond strength, 55
 - single bottle-type self-etching, bond strength decline with, 39
- Prosthodontics
(see also Dentures)
- outsourcing of dental laboratory work, 29
 - properties of new fluoroalkyl-based relining material, 128
- Public health
- answers to frequent questions about OSHA regulations, 331
 - effect of anabolic androgenic steroids on gingiva, 129
 - effect of early childhood caries on body weight, growth, and quality of life in preschool children, 245
 - ethanol toxicity from mouthwash overingestion in children after introduction of child-resistant packaging rule, 245
 - meeting oral health needs of children, 33, 140
- Pulp capping
- indirect in primary teeth, calcium hydroxide for protection in, 242
 - Portland cement for, 351
- Pulp testers, electric, interface media for, 283
- Pulp therapy, mineral trioxide aggregate as capping material in pediatric dentistry, 120
- Pulpotomy, sodium hypochlorite for, in primary molars, 297
- Pulse oximetry, for assessment of pulp vitality in recently traumatized teeth, 316

R

- Radicular cyst, conservative treatment, 150
- Radiology

- comparison of in vivo radiographic working length determination and measurement after extraction, 130
- cone-beam computed tomography for differential diagnosis of periapical lesions, 187
- for periodontal diagnosis, 131
- digital radiography systems, advantages and drawbacks, 100
- digital systems vs. digitized film for assessment of working length in endodontic therapy, 64
- imaging an anterior variant lingual mandibular bone depression, 98
- ultrasonic detector vs. bitewing radiographs for detection of cavitated carious lesions in approximal surfaces, 357
- Red wine, in periodontal disease prevention and treatment, 9
- Relining materials, fluoroalkyl-based, properties of, 128
- Restorations
- all-ceramic partial coverage on natural molars, masticatory fatigue loading and fracture resistance, 349
 - ceramic, abrasion of natural teeth opposed by, 238
 - composite (see Composite restorations)
 - effect of surface treatments on tensile bond strength and on morphology of quartz-fiber posts, 358
 - for endodontically treated teeth, selection of, 132
 - fracture resistance with glass fiber reinforced posts, 65
 - glass ionomer, for remineralization of carious dentin in permanent molars, 230
 - immediate vs. delayed cementation of fiber posts in canals, effect on retention, 189
 - load capability of excessively flared teeth restored with fiber-reinforced composite posts and all-ceramic crowns, 239
 - multidisciplinary crown-root fracture treatment, 159
 - nonsurgical management of soft tissue deficiencies for anterior single implant-supported, 266
 - physical-mechanical performance of Ketac Molar Easymix vs. handmixed glass ionomer restoratives, 231
 - provisional, advances in materials for, 278
 - resin-based adhesive root canal fillings and fracture resistance of endodontically treated roots, 303
 - tooth structure and fracture resistance of restored endodontically treated anterior teeth, 66
 - treatment sequence for tooth requiring both root canal treatment and crown lengthening, 227
 - zirconia all-ceramic for maxillary incisors, 101
 - yttria-stabilized, measures for clinical success, 280
- Root analog, for closure of oroantral communications after tooth extraction, 56
- Root canal
- antimicrobial effect of chloroform on *E. faecalis* after gutta-percha removal, 346
 - brush-covered irrigation needle for removal of debris, 284
 - C-shaped systems, morphology of, 286
 - calcium hydroxide as disinfectant for, comparison of four filling techniques, 115
 - calcium hydroxide with chlorhexidine gel as intracanal medicament, 175
 - digital systems vs. digitized film for assessment of working length, 64
 - effect of moisture on apical seal of fillings with five different types of sealers, 281
 - effectiveness of intracanal medicaments against *E. faecalis*, 347
 - effects of diode laser irradiation on, 347
 - Epiphany vs. gutta-percha techniques for root canal obturation, 108
 - inferior alveolar nerve damage during therapy, 293
 - mechanical vs. hand instrumentation of, 171
 - mineral trioxide aggregate for furcation perforation repair, 43
 - necrotic infection in immature permanent tooth, pulp revascularization of, 320
 - predictors of treatment in crowned teeth, 110
 - removal of instrument fragments from, 82
 - resin-based adhesive fillings and fracture resistance following treatment, 303
 - tapered and nontapered instrumentation of the apical constriction, 109
 - treatment sequence for tooth requiring both root canal treatment and crown lengthening, 227
 - in vivo radiographic working length determination vs. measurement after extraction, 130
- Rubber dam, proximal contact strength of composite restorations and, 117
- S**
- Saliva, drug tests using, 21
- Seafood, benefits of consumption, 19
- Sealants
- effect of moisture on apical seal of fillings with five different types, 281
 - endodontic, biological response to, 233
 - glass-ionomer, finger pressure technique for, 126
 - pit and fissure, compomer for, 39
- Sex differences, in mouth wound healing rate, 310
- Shade selection
- for anterior metal-ceramic crowns, computerized system for, 169
 - color matching of newer resin composites, 171
- Sialolithiasis, in a 5-year-old child, 275
- Silver fluoride, for enhancement of fluoride release from glass ionomer cement, 235
- Sleep disorders
- mandibular advancement appliances for, 190
 - obstructive sleep apnea syndrome, 161
 - sleep apnea treatment by dentists, 228
 - wind instrument playing as cure for snoring, 144
- Sodium lauryl sulfate, effect on chlorhexidine efficacy, 60
- Soft drinks, acidity and enamel dissolution, 300
- Spacers, for putty-wash impressions, vacuum-formed resin sheets as, 333
- Squamous cell carcinoma
- mimicking a dentoalveolar abscess, 270
 - primary or secondary implant placement before or during ablative surgery for, 182
- Stem cells, retinal, sight restoration in mice and, 255
- Stress, electronic connections and, 6
- Sutures, material and techniques for optimal soft tissue management, 322
- T**
- Temporal arteritis
- diagnosis and treatment, 92
 - signs and symptoms, 269
- Third molars
- impacted, cone beam computed tomography for assessment of relationship with mandibular canal, 302
 - mandibular
 - duration of postoperative anesthesia and analgesia with articaine vs. mepivacaine for removal, 165
 - nonimpacted, prophylactic removal, 147
 - small flap, sutureless surgery for, 55
 - upper, intraorbital hematoma after removal of, 24
- Tongue cleaners
- analysis of effect on halitosis, 85
 - for reduction of morning breath order, 173
- Tooth avulsion, mineral trioxide aggregate for endodontic obturation of, 95
- Toothbrushing
- benefits of powered toothbrushes during initial phase of therapy, 355
 - customized interdental technique, vs. flossing for plaque control before root surface debridement, 192
 - effect of dentifrices on efficacy of, 186
 - new vs. 3-month-old brush heads in powered toothbrushes, plaque removal with, 301
 - triple-headed toothbrushes for patients with fixed orthodontic appliances, 127
- Topical anesthetics, intraoral, efficacy in children, 103
- Trauma, unilateral mandibular condylar fracture, long-term follow-up of nonsurgical treatment, 350
- Tuberculosis, primary, gingival enlargement as presentation of, 218
- W**
- Web sites, patient-friendly design of, 224
- Weight loss, dog walking and, 142
- Whitening
- effects on micro- and nano-morphological alterations of enamel surface, 289
 - gradual bleaching technique in endodontically treated teeth, 44

over-the-counter systems, clinical efficacy of,
234
Wounds, oral, sex differences in healing rate, 310

X

Xerostomia

management in elderly patients, 207
post-radiation, pilocarpine lozenge for, 243

Z

Zirconia, as framework for fixed partial dentures,
246

Zirconia all-ceramic restorations
restoration of maxillary incisors with,
101
yttria-stabilized, measures for clinical success,
280
Zirconium oxide ceramic crowns, retention with
three types of cement, 167